



# HOCT-1/1F

All-in-One Optical Coherence Tomography with Fundus

## Specification

Type	SD-OCT / Fundus	
OCT	Resolution (in Tissue)	Z : 6~7um, XY:20um
	A scan Rate	68,000 A-scan/sec.
	Scan Range	[Fundus] X:6-12mm, Y:6-9mm, Z:2.34mm [Cornea] X,Y:6-9mm
	3-D Acquisition Time	1.4s(Fastest mode, A512 x B96)
	Min. Pupil Diameter	Ø2.5mm
	Light Source Wavelength	SLD 840nm
	Optical Power at Cornea	≤650uW
Fundus	Scan Pattern	Macular Line, Macular Cross, Macular Radial, Macular Raster, Macular 3D, Disc Circle, Disc Radial, Disc Raster, Disc 3D
	Camera	Color, Resolution 12MP
	FOV	45°
	Min. Pupil Diameter	Normal:Ø4mm / Small Pupil:Ø3.3mm
	Flash	LED
Common	Resolution (on Fundus)	Center:60 lines/mm or more Middle (r/2):40 lines/mm or more Middle (r):25 lines/mm or more
	Working Distance	33mm
	LCD Size	12.1", Resolution 1280x800
	Dioptic Compensation	Full Range:-33 to +33D -33 to -7D with Minus Compensation Lens +7 to +33D with No Compensation Lens
	Fundus Surface Imaging	NIR/Enface, FOV : 40°x 30°
	Internal Fixation Lamp	LCD
	Horizontal Movement	70mm(back and forth) / 100mm(left and right)
	Vertical Movement	30mm
	Chinrest Movement	62mm, Motorized
	Auto Alignment	X,Y for Positioning, Z for Working Distance
	Auto Focusing	Diopter Adjustment for Focusing
	Network	DICOM File support (Need to be customized)
	Normative Database	Will be constructed after a release
Built in Computer	O	
Power Supply	AC100~240V, 50/60Hz, 1.6A~0.7A	
Dimensions / Mass	330(W)x542(D)x521(H)mm / 30kg	
Optional Accessories	Anterior Segment Adapter, Web Viewer	
Anterior Segment Module (optional)	Scan Patterns	ACA Line, Cornea Radial, Cornea 3D
	Software Analysis	Corneal Layers, Thickness Map, Thickness & Angle
Web Viewer (optional)	Web-based, Multy users can be accesible Progression Analysis, Comparison Analysis, 3D Analysis	

Designs and details above can be changed without prior notice for the purposes of improvement..



HUVITZ Co., Ltd. 38, Burim-ro 170beon-gil, Dongan-gu,  
Anyang-si, Gyeonggi-do, 14055, Republic of Korea  
Tel:+82-31-442-8868 Fax:+82-31-477-8617 <http://www.huvitz.com>

W2ARAA-17-00001-1-180126

Huvitz Re:define, Re+create



# HOCT-1/1F

All-in-One Optical Coherence Tomography with Fundus

Distribuito da:



esavision  
TECHNOLOGY



## Huvitz All-in-One OCT

All-in-One HOCT is smart.  
3D OCT & Fundus Camera, Totally integrated system combined with PC. Provides OCT and Fundus data on one Screen.  
All-in-One HOCT is easy to use.  
One button, it creates a High-speed Scan and a High-quality Image, giving greater insight for the ophthalmology clinic.  
One space, allows the acquisition of various types of analysis and diagnosis results.  
Easy to use and results are outstanding and easily follow.  
Huvitz All-in-One HOCT will be the icon for leading a new era of Optical Coherence Tomography(OCT).

## HIGH-SPEED and HIGH-QUALITY

Incredible speed of 68,000 A-scan/sec. :  
More Realistic and Clearer image in high resolution

Provides High-speed Scan, High-quality Image by using Huvitz's outstanding optical technology and innovative image software. Shows extensive information, such as 3D structure of Retina, Macula's thickness and separation, in a vivid image.

### High Resolution Image - min. 60 lines/mm of central Fundus

Creates 3µm OCT Digital Resolution medical images, allows more precise Retina observation and useful follow-up examinations.

### Accurate and Stable Image Averaging

It is very important to obtain high-quality images that are accurate and stable in all OCTs. However, it's not easy to capture these due to patient eye movement over the period of the test. The HOCT detects fast eye movements with image processing algorithms of fast Scan Speed\* and Smart Viewing Technology (SVT)\*\* and scans up to 68,000 points per second, and calibrates to create a high-quality optical image.

HOCT can acquire high-quality images without any repetitive operation for first time users.

\* 68,000 A-scan / sec., Less than 1.4 sec. in 6x6 mm<sup>2</sup> 3D shooting

\*\* Smart Viewing Technology : Huvitz's Speckle-Noise-Reduction System & Pre-Acquiring Algorithm to acquire high-quality images


### Vividly Visualized Retinal Layers

Visualizing with precise B scans and smooth 3D images at faster scan speeds makes it easier to observe pathological shapes and status in stratified Retinal Layers.

It is also useful to further elucidate the pathological rheobase of Macula and Optic Disc, including factors that impair Photoreceptor Function, Retinal & Choroidal Vasculature (vascular system) in a slice image for Retinal Layer consists of 7 pieces.

### Brightness Level Adjustment


Precisely identify lesions by minutely adjusting image's brightness and contrast. In this way, specific parts of lesions can be highlighted which help users to easily see details.




Macular - Line

Optic Disc - 3D

Segmentation of Seven Retinal Layers



B-scan and 3D Image of Macular





## ONE for ALL SYSTEM

3D OCT, Fundus Camera, Built-in PC :  
Combined-One is more accurate and useful

By combining OCT, Full Color Fundus Camera, and PC, it can generate high resolution images providing multi-purpose functions for diagnosis.

It saves both time and space by performing frontal view(Enface) of eye diseases, Tomography, cross-compare and diagnosis in a single run.

### Combined-One

Provides maximum psychological stability to the patient without re-shooting and reduces stress during shooting\*.

Easily checking lesion's position by Fundus Image, it precisely guides the location of the OCT Scan Image.

\*Motion detection technology: Smart Scan Technology (SST) is applied to achieve perfect images without re-shooting even though there're flicker or movement (see Smart Scan page).

### Compact Design - it can be installed in a small space

Thanks to HOCT's space-saving design its perfect for hospitals and research areas with many diagnosis devices and treatment equipment, It can maximize the convenience of users as well as patients, thus saving time and space.

### Web Browsing System to view data anytime, anywhere

Patient's test data can be analyzed anywhere on the Internet. You can check and analyze all data of HOCT through Web Browser such as Internet Explorer, Safari, Chrome without installing special software separately.



## USER FRIENDLY

Auto Tracking & Auto Shooting :  
makes it easy to use and obtain reliable data

HOCT is smart.- Obtains reliable data with minimum deviation of image quality according to user's measurement proficiency.

By selecting the measurement mode it provides exact and more accurate images.

### Fast and Stable Full Auto Mode

Simply press the button once to capture the image quickly and easily without any errors with Auto Tracking, Optimize, Auto Shooting at the correct position.

Depending on the application, select Semi Auto to obtain more detailed images.


### Semi Auto Mode for more precise images

You can obtain a more precise image by shooting Semi Auto Mode turning one's gaze to the side for patients with eye diseases such as cataract, strabismus, or optic disk and peripheral measurements.

Semi Auto Mode can also be applied to eyes with weak signals.

XY alignment, focus is automatically adjusted, and manual operation during auto adjustment is also possible.

Focusing and Firing functions can be judged and involved by users so that users can obtain images in an intuitive way.



Forward - Back

Left - Right

Optimized Focus


# SMART SCAN

Start and finish instantly through only one-click :  
Speedy process reduces errors in forward looking of patients

It provides more convenience and accuracy by offering an easy and various scanning function with Macula, Optic Disc, and Anterior.



Concept image visualized Smart Scan Technology (SST).



## Wide Area Scan (12mm x 9mm) for efficient diagnosis

A quick scan covers Macula and Optic Disc areas extensively.


By scanning around Optic Disc or Macula for patient's pathological status, you can check the Thickness Maps between RNFL (Retinal Nerve Fiber Layer), GCL (Ganglion Cell Layer) and RPE Layers.

## Smart Scan Technology with motion detection technology

Image analyzer with Huvitz's unique Smart Scan Technology (SST) obtains a complete and perfect C-scan image by detecting any motion of eye flicker or movement that would prevent disappearance of scan line and image collection during measurement.

## Providing various and useful scan patterns

12 different patterns make it available to choose and apply the optimized pattern to the main symptoms or the area of retinal disease without repetitive work or time-wasting.



# ACCURATE ANALYSIS

Accurate segmentation and measurement :  
Analyze pathology status from various perspectives.

A complete analysis helps you observe symptoms, illnesses and progress of each patient at a glance. Key indicator values compared to Normative Data are displayed in table and chart format.

## Progression to track pathological changes

OCT scan and fundus image of a patient can be compared at a glance to sequential measurement results from baseline to present. Progression from past to present helps analyze disease progression and treatment process. Thickness, Enface, and ETDRS can be superimposed on the IR or Fundus at each measurement point so that the change in thickness of nerve fiber can be confirmed according to the transition. It also provides a trace graph so you can study at a glance.

## Compare before and after patient's symptom

You can compare and analyze the baseline data of a patient with the current data.

## 3D modeling in high speed and wide area


High-speed, wide area (12mm x 9mm) 3D images help you quickly and comprehensively understand the condition of the Retina. Also, layer thickness maps can be used from ILM to RPE, respectively and Morphological changes on the measured surface of the layers can also be visually confirmed.

## OU to cross-analyze function of binocular

Provides comparative analysis for Macular Thickness, RNFL Thickness, ONH (Optic Nerve Head) of binocular.

## Summary : Monocular-Scan and OCT / Fundus image

Provides a summary analysis of Macula retina, RNFL, ONH at a glance. Helps identify whether follow-up examinations are needed or not. Easy to explain the results to the patient after diagnosis.




# DETAILED REPORT

From quick summary to simple comparison and complex evaluation :  
Complete a perfect report



Provides patient's pathological structure and relevant & important data in easy-to-read format and also can print out the report on analysis screen.

Analysis results can be viewed via Web Browser and printed out with different types of reports.



Optic Disc Report

Macular Report



## ANTERIOR MEASUREMENT

One Single System :  
Start and finish in one place, making patient more comfortable.

Anterior Segment Module allows measurement and analysis of cornea thickness, angle and 3D image. It helps users work more efficiently by acquiring both anterior and posterior in one place.

### 9mm Wide Chamber View

Measurement of ACA (Anterior Chamber Angle) between cornea and Iris allows diagnosis and management of angle-closure glaucoma patients.

### 9mm High resolution Cornea Thickness Measurement

The 9mm high-resolution Cornea Scan provides an objective view of the structure of the eyeball and displays a cross-sectional image of the measured corneal thickness.

### Corneal Thickness Map

Corneal's irregularity, Thinnest point, etc. can be identified with a corneal thickness map to visualize the patient's corneal thickness at a glance.

## FULL COLOR FUNDUS IMAGE

Insight of Posterior Segment of Eye :  
for Comprehensive diagnosis

Color Retinal Images optimized with high-resolution and contrast are very useful in analysis and clinical diagnosis. Best images are provided by Low intensity of flash, fast capture speed, quiet operation, small pupil mode and automatic flicker detection.

### High resolution and performance 12 Megapixel Camera

High performance camera with Motion Artifact Suppression Technique provides high resolution images and also its low intensity of flash, fast & quiet operation maximize measurement quality.

### Auto-Detection Of Pupil Size and Auto Flash Level Function


It accurately measures the pupil size and automatically adjusts the intensity of light according to pupil size. Even patients with small pupil size can be easily measured without switching mode. Selecting Small Pupil Mode, to be adjusted more intensive light for the small pupil size.

### Panorama function for wide range of peripherals

Multiple built-in capture color fundus images at different positions and automatically stitch them to optimized total overview. By providing high-resolution images with minimal distortion, you can immediately see key information for a comprehensive assessment of patient's eye.

### Fixation Target for flexible configuration

Fixation target can be set on the display for fine adjustment of a specific part of the eyeball.



ACA Measurement

Corneal Thickness Measurement




Fundus Image


Panoramic Image (Non-Mydriatic Composite Retinal Image)

# CLINIC EXAMS with HOCT-1F


High-quality, high-resolution OCT and color fundus images from HOCT are extremely useful for analysis and clinical diagnosis as the pathologic structure and status of each layer is accurately observed and recorded.




**Vitreomacular Traction (VMT) Syndrome** : 80-years old, female, OD  
Vitreomacular traction syndrome is a potentially visually significant disorder of the vitreoretinal interface characterized by an incomplete posterior vitreous detachment with the persistently adherent vitreous exerting tractional pull on the macula and resulting in morphologic alterations and consequent decline of visual function.




**Glaucoma** : 51-years old, male, OD  
Glaucoma is a disease that damages your eye's optic nerve. The same symptoms are found at Thickness map, Fundus, TSNIT chart, Clock chart.




**Macular Hole (MH)** : 63-years old, female, OS  
A macular hole is a retinal break commonly involving the fovea.



**Macular Degeneration (MD)** : 94-years old, male, OD  
Age-related macular degeneration is a disease that blurs the sharp, central vision you need for straight-ahead activities.



**Epiretinal Membrane (ERM)** : 62-years old, male, OD  
Epiretinal membrane is a disease of the eye in response to changes in the vitreous humor or more rarely, diabetes.



**Diabetic Retinopathy (DR)** : 76-years old, male, OD  
Diabetic retinopathy is when high blood sugar levels cause damage to blood vessels in the retina. These blood vessels can swell and leak. Or they can close, stopping blood from passing through. Sometimes abnormal new blood vessels grow on the retina.